


Specification

Model	V-R7000 / V-R7100		
Software	Platform	Android™ 4.2	
CPU	OMAP5432 1.5GHz		
Memory	RAM	2GB	
	Flash ROM	eMMC 16GB	
Display	Type	15.6-inch widescreen touch panel (1366×768 pixels) TFT color liquid crystal display	
	Backlight	White LEDs	
Terminal interfaces	Side of display	SD/SDHC memory card slot	1
		USB (host) port	1
		Earphone jack	1
		Magnetic card reader terminal	1
	Rear of display	COM ports	3
		Drawer ports	2
		LAN port	1
		SD/SDHC memory card slot	1
		USB (host) port	3
		Micro-USB (client) port	1
		HDMI port	1
		DC jack	1
Interface expansion box(option)	VA-B20EB	COM ports	3
		Drawer ports	2
		USB (host) port	2
		DC jack	1
Memory protection	Battery	Lithium ion rechargeable battery	
	Memory retention	Approx. 24 hours (new battery, fully charged, 25°C operating temperature)	
	Battery life	5 years (25°C operating temperature)	
	Charging time	Full charge in 3 hours (25°C operating temperature)	
	Clock retention	Approx. 30 days	
Wireless LAN (V-R7100 only)	Standard specifications	IEEE 802.11a/b/g/n	
Bluetooth® (V-R7100 only)	Supported version	Bluetooth® specification Ver2.0+EDR	
Power supply	AC100V ± 10V 50/60Hz		
Power consumption	During operation: Approx. 26W / In standby mode: Approx. 18W		
	External dimensions (W x D x H)	400 × 300 × 335mm 400 × 45 × 250 mm (display only)	
Weight	Approx. 7.0 kg	Approx. 3.5 kg (display only)	

Part Names / Sizes



Note : Other company and product names are generally registered trademarks or trademarks of the respective companies.

Android is a trademark of Google Inc.

VESA is a registered trademark of the Video Electronics Standards Association.

Screenshots are simulated.

Specifications in the table above are current as of March 2014 and are subject to change.

<http://www.casio-intl.com/asia-mea/en/sa/>

CASIO COMPUTER CO., LTD.
Tokyo, Japan

Options

Cash drawer

Medium: **DL-2814**
400 (W) × 398 (D) × 113 (H) mm
Large: **DL-3625**
460 (W) × 460 (D) × 126 (H) mm



External printer

UP-400A: RS-232C/LAN port compatible
194 (W) × 145 (D) × 124 (H) mm



Customer display

Backlit 3-line LCD customer display
Dimensions
194 (W) × 120 (D) × 166 (H) mm



Interface expansion box


The interface expansion box is equipped with 3 COM ports, 2 drawer ports, 2 USB (host) ports, and 1 DC jack. It is useful for connecting V-R7000/V-R7100 terminals with peripheral devices

*A separate dedicated DC cable (VA-DC-CORD1) is required.



Magnetic card reader

Reads ISO Track 2 / JIS II cards



Printer serial cable

PRL-CB-2 (1.5m)

Customer display serial cable

BT-6061CB-B (40cm)
BT-6062CB-B (5m)

Drawer extension cable

VA-A31CB

CASIO®

V-R7000/V-R7100

Built on the Android™ Platform
15.6-inch Widescreen Retail Business Terminals

Smart Solution & Stylish Design A New Style of Retail Point of Sale Solution

